5

10

15

What is claimed is :

- 1) A method for enhancing in vitro synthesis of biological macromolecules in a cell-free system where ATP is required as a primary energy source, wherein said cell-free system is enriched with ATP-sulfurylase
- 2) The method of claim 1, wherein the biological macromolecules are polymermolecules such as nucleic acids, proteins and fragments thereof.
 - 3) A method according to anyone of claims 1 or 2, wherein the cell free system comprises exogenous APS.
 - 4) The method according to anyone of claims 1 to 3, wherein said in vitro synthesis comprises also transcription of mRNA from a DNA template.
- 5) A method according to anyone of claims 1 to 4, wherein said in vitro synthesis is carried out in a reaction vessel as a batch reaction, semi continuously or continuously.
- 6) A method according to anyone of claims 1 to 5, wherein ATP-sulfurylase is added to the cell-free system at the beginning and/or during the *in vitro* synthesis or at intervals during the *in vitro* synthesis.
- 7) A method according to anyone of claims 1 to 6, wherein the cell-free system comprises a cell-free extract prepared from cells transformed with a vector over-expressing ATP-sulfurylase.

8) A method according to anyone of claims 1 to 7, wherein ATP-sulfurylase concentration is adapted according to the experimental conditions and the biological macromolecules to be synthesized.

5

9) A method according to anyone of claims 1 to 8, wherein ATP-sulfurylase is present in the cell-free system at an initial concentration of at least about 0.1 U/ml.

10

15

20

25

30

- 10) A cell-free system enriched with ATP-sulfurylase.
- 11) A cell-free system according to claim 10 comprising exogenous APS.
 - 12) A cell-free system according to anyone of claims 10 or 11 comprising all substances necessary for the translation of mRNA and transcription of mRNA from a DNA template.
 - 13) A cell-free system according to anyone of claims 10 to 12, wherein extra ATP-sulfurylase is derived from prokaryotic organism, eukaryotic organism, transgenic vector, bacterial cell that has been genetically modified, *E. coli* extract, or is purified.
 - 14) A cell-free system according to anyone of claims 10 to 13, wherein the cell-free extract enriched with ATP-sulfurylase is prepared from cells transformed with a vector over-expressing ATP-sulfurylase.

- 15) A cell-free system according to anyone of claims 10 to 14, wherein ATP-sulfurylase is present in a concentration of at least about 0.1 U/ml.
- 5 16) A cell-free extract enriched with ATP-sulfurylase.
 - 17) A cell-free extract according to claim 16 comprising exogenous APS.

10

18) A cell-free extract according to anyone of claims 16 or 17 comprising all substances necessary for the translation of mRNA and transcription of mRNA from a DNA template.

15

20

- 19) A cell-free system according to anyone of claims 16 to 18, wherein extra ATP-sulfurylase is derived from prokaryotic organism, eukaryotic organism, transgenic vector, bacterial cell that has been genetically modified, *E. coli* extract, or is purified.
- 20) A cell-free system according to anyone of claims 16 to 19 prepared from cells transformed with a vector over-expressing ATP-sulfurylase.

25

21) A cell-free extract according to anyone of claims 16 to 20, wherein ATP-sulfurylase is present in a concentration of at least about 0.1 U/ml.